Journal of Applied Polymer Science

Author Index to Volume 59

Abdel-Hamid, M. I. See Migahed, M. D., 655

Abu-Isa, I. A.

—; Jaynes, C. B.; O'Gara, J. F.: High-Impact-Strength Polyethylene terephthalate (PET) from Virgin and Recycled Resins, 1957

Ahmed, R. B. See Eromosele, I. C., 1987

Ahn, S. J. See Choi, K.-J., 557

Ajroldi, G. See Tonelli, C., 311

Akashi, M. See Furuzono, T., 1059; Matsumoto, T., 1067

Akbulut, U. See Karakişla, M., 1347

Akovali, G. See Kurbanova, R. A., 235

Alonso, F. J. G. See Carriedo, G. A., 1879

Alonso, M. See Quintanilla, L., 769

Am Ende, M. T.

—; Peppas, N. A.: Transport of Ionizable Drugs and Proteins in Crosslinked Poly(acrylic acid) and Poly(acrylic acid-*co*-2-hydroxyethyl methacrylate) Hydrogels. I. Polymer Characterization, 673

Amalvy, J. I.:

Semicontinuous Emulsion Polymerization of Methyl Methacrylate, Ethyl Acrylate, and Methacrylic Acid, 339

Aminabhavi, T. M.

—; Harlapur, S. F.; Balundgi, R. H.; Ortego, J. D.: Sorption Kinetics and Diffusion of Alkanes into Tetrafluoroethylene/Propylene Copolymer Membranes, 1857

Amma, M. L. G. See Mathew, C., 365

An, L.

—; He, D.; Jing, J.; Ma, R.; Jiang, Z.; Kou, X.: Mechanical Properties and Miscibility of Polyethersulfone/Phenoxy Blends, 1843

An, S. See Xiao, C., 931

Apostolov, A. A

—; Evstatiev, M.; Fakirov, S.; Kloczkowski, A.; Mark, J. E.: Structures and Mechanical Properties of Zone-Draw–Zone-Annealed Blends of Cocrystallizing Poly(butylene terephthalate) and a Poly(ether ester), 1667

Arumugam, V. See Parthasarathy, K. M., 2049

Asrar, J.

—; Berger, P. A.; Weinkauff, D. J.: Synthesis and Characterization of Oligoethylene Bibenzoate With Hydroxyethyl End Groups, 1001

Athawale, V. D.

—; Rathi, S. C.: Studies in Water-Vapor Transmission Rate of Nonocclusive Acrylic Adhesive Tape, 1243

Atkins, E. D. T. See Sasaki, N., 1389

Aydinli, B.

—; Tinçer T.: A New Method for Preparation of Lightweight Ultrahigh Molecular Weight Polyethylene (UHMWPE) Foam (Note), 1489

Bahrami, S. H. See Bajaj, P., 1539

Bai, F. See Li, G., 1463

Baird, D. G. See Guenther, G. K., 845

Bajaj, P.

—; Sen, K.; Bahrami, S. H.: Solution Polymerization of Acrylonitrile with Vinyl Acids in Dimethylformamide, 1539

—; See Gupta, A. K., 1819

Bakr, N. A. See Migahed, M. D., 655

Ballauff, M. See Storbeck, R., 1199

Balloomal, L. S. See Moharram, M. A., 987

Balundgi, R. H. See Aminabhavi, T. M., 1857

Barakos, G.

—; Mitsoulis, E.; Tzoganakis, C.; Kajiwara, T.: Rheological Characterization of Controlled-Rheology Polypropylenes Using Integral Constitutive Equations, 543

Barat, P. See Chatterjee, S., 1973

Bastioli, C. See Perego, G., 37

Batich, C. See Wironen, J., 825

Bayramli, E. See Yerlikaya, Z., 165, 537

Behnisch, J. See Nitschke, M., 119

Bell, J. R. See Ellis, B., 1493

Bergas, E. M. See Luque, J. L. A., 1173

Berger, P. A. See Asrar, J., 1001

Beşirli, N. See Savaşkan, S., 1515

Bhatt, A. C. See Papathomas, K. I., 2029

Bhattacharyya, S. N. See Chatterjee, S., 1973

Bildyukevich, A. V. See Pratsenko, S. A., 1525
Blanch, H. W. See Sassi, A. P., 1337
Bledzki, A. K.
—; Reihmane, S.; Gassan, J.: Properties and Modification Methods for Vegetable Fibers for Natural Fiber Composites, 1329
Blumstein, R. B. See Ratto, J. A., 1451
Boersma, A. See Mercx, F. P. M., 2079
Bromberg, L.
Crosslinked Poly(ethylene glycol) Networks as Reservoirs for Protein Delivery, 459
Bryant, R. G.
—; Jensen, B. J.; Hergenrother, P. M.: Chemistry and Properties of a Phenylethynyl-Terminated Polyimide, 1249
Brzózka, Z. See Dybko, A., 719
Budinski-Simendić, J. See Petrović, Z. S., 301
Butuc, E. See Giurgiu, D., 1507

Cádiz, V. See Giménez, V., 425
Canpolat, M.
—; Pekcan, Ö: The Effect of Solid Content on Latex Coalescence and Film Formation: Steady-State Energy Transfer Study with Fluorescence Labeled Polymers, 1699
—; See Pekcan, Ö., 277
Cao, J.
—; Wang, J.; Chen, Y.; Wu, Z.: Synthesis and Properties of Poly(ether ether ketone ketone)–Poly(ether sulfone) Block Copolymers, 905
Carriedo, G. A.
—; Fernández-Catuxo, L.; Alonso, F. J. G.; Elipe, P. G.; González, P. A.; Sánchez, G.: On the Synthesis of Functionalized Cyclic and Polymeric Aryloxyphosphazenes from Phenols, 1879
Cavaille, J. Y. See Garcia-Ramirez, M., 1995
Çelik, M.
—; Saçak, M.: Grafting of Acrylamide–Methacrylic Acid Mixture onto Poly(ethylene terephthalate) Fibers by Azobisisobutyronitrile, 609
Cella, G. D. See Perego, G., 37
Çelýk, M. See Saçak, M., 1191
Chan, K. P. See Wang, Y.-F., 831
Chandy, T. See Hari, P. R., 1795
Chao, H. S.-I.
—; Whalen, J. M.: Poly(2,6-dimethyl-1,4-phenylene ether) (PPO®) Capping and Its Significance in the Preparation of PPO®/Epoxy Laminate, 473
Chatterjee, S.
—; Sarkar, S.; Bhattacharyya, S. N.; Barat, P.: Semiconductor Photosensitized Grafting: Physicochemical Studies on Acrylamide Grafted CA Films, 1973
Chauhan, M. S. See Kaur, I., 389
Chauhan, S. See Kaur, I., 389
Chen, C. C. See Ratto, J. A., 1451
Chen, C.-Y. See Teo, L.-S., 1627
Chen, D. See Li, G., 1463
Chen, J. See Isayev, A. I., 803, 815
Chen, S. H.
—; Lai, J. Y.: Polycarbonate/(*N,N'*-dialicylidene ethylene diamine) Cobalt(II) Complex Membrane for Gas Separation, 1129
Chen, X. See Tang, H., 383
Chen, Y. See Cao, J., 905
Chen, Y.-J. See Jackson, C., 179
Cherdivarenco, M. See Gutanu, V., 1371
Cherry, B. W. See Daver, F., 453
Cheung, W. L. See Li, J. X., 1733
Chiu, Y.-S. See Liu, Y.-L., 1619
Cho, W. J. See Oh, S. T., 1871
Cho, W.-J. See Kim, K.-H., 407
Choi, D. H.
—; Song, S.; Lee, T. S.; Park, S. Y.; Kim, N.: Thermally Stable Maleimide Copolymer for Second-Order Nonlinear Optics, 9
Choi, G. D.
—; Jo, W. H.; Kim, H. G.: The Effect of the Viscosity Ratio of Dispersed Phase to Matrix on the Rheological, Morphological, and Mechanical Properties of Polymer Blends Containing a LCP, 443
Choi, K.-J.
—; Ahn, S. J.; Shon, K. H.; Kim, I.; Jeong, H. M.: Compatibilizing Effect of Poly(methyl methacrylate) in Polycarbonate/Poly(acrylonitrile-*co*-butadiene-*co*-styrene) Blend (Note), 557
Chowdhary, G. See Khulbe, K. C., 1151
Chung, C. I. See Kim, Y. S., 125
Chung, T.-S.
—; Kafchinski, E. R.: Aging Phenomenon of 6FDA–Polyimide/Polyacrylonitrile Composite Hollow Fibers, 77
Collier, J. R. See Pendse, A. V., 1305
Cozan, V. See Giurgiu, D., 1507
Crane, E. A. See Sutter, J. K., 565

Dakin, V. I.
Radiation-Induced Network Formation in Polymers, 1355
Damman, S. B. See Mercx, F. P. M., 2079
D'Amore, A. See Yang, Y., 1159
Daver, F.
—; Cherry, B. W.: Modeling the

Elastic Modulus of HDPE in Terms of Stress-Dependent Thermally Activated Rate Process, 453
Dayal, U.
—; Mathur, A. B.; Shashikant: Effect of High Molecular Weight Fraction in HDPE on Its Impact Properties: An ATSEC Study, 1223
De Kee, D. See Xu, Y. Z., 1099
Delor, F. See Lacoste, J., 953
Denkbaş, E. B. See Xu, K., 561
Di, Y. See Yang, Y., 1159
Ding, M.
—; Li, H.; Yang, Z.; Li, Y.; Zhang, J.; Wang, X.: Comparative Study on Polyimides from 3,3′- and 4,4′-Linked Diphthalic Anhydride, 923
Divjaković, V. See Petrović, Z. S., 301
Dong, L.
—; Hill, D. J. T.; O'Donnell, J. H.; Pomery, P. J.; Hatada, K.: Effects of Various Ester Groups in γ-Radiation Degradation of Syndiotactic Poly(methacrylate)s, 589
—; See Yang, Y., 531
Donnet, J. B. See Ou, Y.-C., 1321
Dua, V.
—; Saraf, D. N.; Gupta, S. K.: Free-Radical Polymerizations Associated with the Trommsdorff Effect Under Semibatch Reactor Conditions. III. Experimental Responses to Step Changes in Initiator Concentration, 749
Dufresne, A. See Garcia-Ramirez, M., 1995
Dunjic, B.
—; Gamez, P.; Fache, F.; Lemaire, M.: Synthesis and Characterization of a New Chiral Polyurea-Based Catalyst, 1255
Dupeyre, D. See Garcia-Ramirez, M., 1995
Duschek, T. See Setz, S., 1117
Dybko, A.
—; Wróblewski, W.; Maciejewski, J.; Brzózka, Z.; Romaniuk, R. S.; Kiełkiewicz, J.: Polymer Track Membranes as a Trap Support for Reagent in Fiber Optic Sensors, 719

Egawa, H. See Jyo, A., 1049
Egea, J. R. J. See Luque, J. L. A., 1173
Eguiazábal, J. I.
—; Fernández-Berridi, M. J.; Iruin, J. J.; Maiza, I.: PBT/PAr Mixtures: Influence of Interchange Reaction on Mechanical and Thermal Properties, 329
Ekman, K. See Södergård, A., 1709
El-Gendy, H. M. See Moharram, M. A., 987
El-Hanafy, O. See Migahed, M. D., 655
Elipe, P. G. See Carriedo, G. A., 1879
Ellis, B.
—; Found, M. S.; Bell, J. R.: The Effects of Cure Treatment on Glass Transition Temperatures for a BADGE-DDM Epoxy Resin, 1493
El-Nimr, M. See Migahed, M. D., 655
El-Sharkawy, F. M. See Hamza, A. A., 1585
El-Tonsy, M. M. See Hamza, A. A., 1585
Engman, L.
—; Stern, D.; Stenberg, B.: Organotellurium Compounds as Stabilizers for Polymeric Materials, 1365
Epps, H. H. See Leonas, K. K., 775
Erinç, K. See Yerlikaya, Z., 537
Eromosele, I. C.
—; Ahmed, R. B.: Graft Copolymerization of Methacrylonitrile on Kenaf Fibers by Cerric Ion–Toluene Redox Pair, 1987
Estenoz, D. A.
—; Valdez, E.; Oliva, H.; Meira, G. R.: Bulk Polymerization of Styrene in Presence of Polybutadiene: Calculation of Molecular Macrostructure, 861
Evans, L. R. See O'Haver, J. H., 1427
Evstatiev, M. See Apostolov, A. A., 1667

Fache, F. See Dunjic, B., 1255
Fakirov, S. See Apostolov, A. A., 1667
Fally, F.
—; Virlet, I.; Riga, J.; Verbist, J. J.: Detailed Multitechnique Spectroscopic Surface and Bulk Characterization of Plasma Polymers Deposited from 1-Propanol, Allyl Alcohol, and Propargyl Alcohol, 1569
Fan, L. H.
—; Hu, C. P.; Zhang, Z. P.; Ying, S. K.: Polymerization Kinetics of Polyurethane and Vinyl Ester Resin Interpenetrating Polymer Networks by Using Fourier Transform Infrared Spectroscopy, 1417
Farris, R. J. See Vrtis, J. K., 1849
Feng, Y.-P. See Ou, Y.-C., 287
Fernández-Berridi, M. J. See Eguiazábal, J. I., 329
Fernández-Catuxo, L. See Carriedo, G. A., 1879
Fong, C. F. C. M. See Xu, Y. Z., 1099
Fortelný, I.
—; Michálková, D.; Mikešová, J.: Effect of the Mixing Conditions on the Phase

Structure of PP/PS Blends, 155
Fouda, I. M. See Hamza, A. A., 1585
Found, M. S. See Ellis, B., 1493
Francis, D. J. See Mathew, C., 365
Fujiwara, N. See Nishioka, N., 1203
Furuzono, T.
—; Seki, K.; Kishida, A.; Ohshige, T.-A.; Waki, K.; Maruyama, I.; Akashi, M.: Novel Functional Polymers: Poly(dimethylsiloxane)–Polyamide Multiblock Copolymer. III. Synthesis and Surface Properties of Disiloxane-Aromatic Polyamide Multiblock Copolymer, 1059
—; See Matsumoto, T., 1067
Fushimi, F.
—; Watanabe, T.; Hiyoshi, T.; Yamashita, Y.; Osakai, T.: Role of Interfacial Potential in Coagulation of Cuprammonium Cellulose Solution, 15

Gagné, S. See Khulbe, K. C., 1151
Gamez, P. See Dunjic, B., 1255
Gan, S. N.
—; Subramaniam, N.; Yahya, R.: Hydrogenation of Natural Rubber Using Nickel 2-Ethylhexanoate Catalyst in Combination with Triisobutylaluminum, 63
Gan, Z.
—; Jiang, B.; Zhang, J.: Poly(*ε*-caprolactone)/Poly(ethylene oxide) Diblock Copolymer. I. Isothermal Crystallization and Melting Behavior, 961
Gao, J.
—; Yang, L.; Li, Z.; Ren, L.: Rheological Behavior and Morphology of Blends of Copolymers of *α*-Methylstyrene-*co*-Acrylate with PVC, 1787
Gao, X.
—; Lu, F.: Gas Permeability of Polyimides and Polypyrrolone Derived from 2,2′-*Bis*(*p*-trimellitoxyphenyl)hexafluoropropane Dianhydride, 1315
Garcia-Ramirez, M.
—; Cavaille, J. Y.; Dufresne, A.; Dupeyre, D.: Cellulose–Copolyamide 6,69 Blends, 1995
Gassan, J. See Bledzki, A. K., 1329
Gavrila, D. E.
Specific Characteristics of Infrared Spectra of Irradiated *γ*-Polypropylene, 71
Genç, Ö. See Pişkin, E., 109
Gilbert, M. See Liu, Z., 1087
Giménez, V.
—; Mantecón, A.; Cádiz, V.: Crosslinking of Poly(vinyl alcohol) Using Dianhydrides as Hardeners, 425
Giurginca, M. See Zaharescu, T., 969
Giurgiu, D.
—; Hamciuc, V.; Butuc, E.; Cozan, V.; Stoleriu, A.; Marcu, M.; Ionescu, C.: Synthesis and Characterization of Polysulfone Poly(alkylene oxide) Block Copolymers Containing Poly(dimethylsiloxane), 1507
González, I. M.
—; Meira, G. R.; Oliva, H. M.: Synthesis of Polystyrene with Mixtures of Mono- and Bifunctional Initiators, 1015
González, P. A. See Carriedo, G. A., 1879
Goraczko, W. See Jurkowski, B., 639
Greener, E. H. See Waldmeier, M. D., 91
Gu, A.
—; Liang, G.; Lan, L.: Modification of Polyaralkyl–Phenolic Resin and Its Copolymer with Bismaleimide, 975
Guan, G.-H. See Li, X.-G., 1
Gubanski, S. See Motori, A., 1715
Guenther, G. K.
—; Baird, D. G.: Rheology of a Textured Fluid Consisting of Poly(ethylene terephthalate) and Nylon 6,6, 845
Gunnarsson, O. See Jannasch, P., 619
Gupta, A. See Kaur, I., 389
Gupta, A. K.
—; Paliwal, D. K.; Bajaj, P.: Effect of the Nature and Mole Fraction of Acidic Comonomer on the Stabilization of Polyacrylonitrile, 1819
Gupta, S. K. See Dua, V., 749
Gutanu, V.
—; Luca, C.; Turta, C.; Neagu, V.; Sofranschi, V.; Cherdivarenco, M.; Simionescu, B. C.: Ionic Polymers. III. Sorption of Fe(III) Ions on New Crosslinked Ionic Polymers Based on 4-Vinylpyridine: Divinylbenzene Copolymers, 1371
Gutierrez-Wing, C. See Likhatchev, D., 725

Ha, C. S. See Oh, S. T., 1871
Ha, C.-S. See Kim, K.-H., 407
Haga, T. See Mori, R., 1263
Hamciuc, V. See Giurgiu, D., 1507
Hamza, A. A.
—; Fouda, I. M.; El-Tonsy, M. M.; El-Sharkawy, F. M.: Optothermal Properties of Fibers. VI. Effect of Annealing on Some of the Optical and Dynamic Mechanical Parameters of Polyester Fibers, 1585
Han, S. H. See Oh, S. T., 1871
Hari, P. R.
—; Chandy, T.; Sharma, C. P.:

Chitosan/Calcium–Alginate Beads for Oral Delivery of Insulin, 1795
Harlapur, S. F. See Aminabhavi, T. M., 1857
Harwell, J. H. See O'Haver, J. H., 1427; Thammathadanukul, V., 1741
Hasch, B. M.
—; Lee, S.-H.; McHugh, M. A.: Strengths and Limitations of SAFT for Calculating Polar Copolymer–Solvent Phase Behavior, 1107
Haseebuddin, S.
—; Raju, K. V. S. N.; Krishna, D.; Reddy, P. J.; Yaseen, M.: Temperature Dependence of Viscosity of Polyurethane Polyol Solutions: Application of Rheological Models, 29
Hatada, K. See Dong, L., 589
Hay, A. S. See Wang, Y.-F., 831
Hayakawa, I. See Sasaki, N., 1389
Hazer, B. See Savaşkan, S., 1515
He, D. See An, L., 1843
Hergenrother, P. M. See Bryant, R. G., 1249
Hikichi, K. See Sasaki, N., 1389
Hiljanen-Vainio, M.
—; Karjalainen, T.; Seppälä, J.: Biodegradable Lactone Copolymers. I. Characterization and Mechanical Behavior of ε-Caprolactone and Lactide Copolymers, 1281
—; See Karjalainen, T., 1299; Malin, M., 1289
Hill, D. J. T. See Dong, L., 589
Hirota, T. See Nishioka, N., 1203
Hiyoshi, T. See Fushimi, F., 15
Ho, K. See Zanzotto, L., 1897
Hoecker, F.
—; Karger-Kocsis, J.: Surface Energetics of Carbon Fibers and Its Effects on the Mechanical Performance of CF/EP Composites, 139
Hoffmann, G.
—; Poliszko, S.: Temperature–Frequency Transformation in Dielectric Thermal Analysis (DETA) of Wood Relaxation Properties, 269
Holländer, A. See Nitschke, M., 119
Hon, D. N.-S. See Tang, L.-G., 483
Hong, S. G.
—; Lin, J. J.: The Effects of DICY Content and Metal Oxide on the Curing Behavior of a Brominated Epoxy Resin, 1597
Hourston, D. J. See Song, M., 173; Zhang, Y. 1167
Hozumi, K. See Yoshimura, K., 1033
Hsieh, Y.-L. See Wilson, M. E., 1759
Hsiue, G.-H. See Liu, Y.-L., 1619
Hu, C. P. See Fan, L. H., 1417
Hu, D. S.
—; Tsai, C.-E.: Correlation Between Interfacial Free Energy and Albumin Adsorption in Poly(acrylonitrile–acrylamide–acrylic acid) Hydrogels, 1809
Hu, M. See Wilson, M. E., 1759
Huang, M.-R. See Li, X.-G., 1
Huang, W. X.
—; Wunder, S. L.: A Dynamic FT-IR Method for Determining the Curing Temperature Ranges of an Acetylene-Terminated Polyisoimide Prepolymer, 511
Hwang, K.-S.
—; Yen, M.-S.: Influence of Pregrafting Cotton Fabrics on Kinetics of DMEU Finishing, 1559
Hwong, G.-Y. See Lee, W.-F., 599
Hyun, K. S. See Kim, Y. S., 125

Ikeda, T.
—; Sakurai, S.; Nakano, K.; Yamada, B.: Copolymerization of Zinc Methacrylate and Perfluoroalkyl Acrylate in Hydrocarbon Medium, 781
Imblo, G. See Müller, B., 57
Inoue, A.
—; Maniwa, S.: Electrorheological Behavior of Two Thermotropic and Lyotropic Liquid Crystalline Polymers, 797
Inoue, T.
—; Suzuki, T.: Selective Crosslinking Reaction in Polymer Blends. IV. The Effects on the Impact Behavior of PP/EPDM Blends (2), 1443
Ioanid, G. See Poinescu, I. C., 991
Ionescu, C. See Giurgiu, D., 1507
Iroh, J. O.
—; Yuan, W.: Formation of Graphite Fiber–Polyimide Prepregs by Electrodeposition, 737
Iruin, J. J. See Eguiazábal, J. I., 329
Isayev, A. I.
—; Yushanov, S. P.; Chen, J.: Ultrasonic Devulcanization of Rubber Vulcanizates. I. Process Model, 803
—; Yushanov, S. P.; Chen, J.: Ultrasonic Devulcanization of Rubber Vulcanizates. II. Simulation and Experiment, 815
Isono, Y. See Ohata, M., 399

Jackson, C.
—; Chen, Y.-J.; Mays, J. W.: Dilute Solution Properties of Randomly Branched Poly(methyl methacrylate), 179
Jang, J.
—; Lee, J. Y.; Jeong, J. K.: Performance Improvement of Glass Fiber-Reinforced Polystyrene Composite Using Surface Modifier. II.

Mechanical Properties of Composites, 2069
Jannasch, P.
—; Gunnarsson, O.; Wesslén, B.: Compatibilizing Effects of Poly(styrene-*graft*-ethylene oxide) in Blends of Polystyrene and Butyl Acrylate Polymers, 619
Jansen, B. See Puterman, M., 1237
Jayabalan, M. See Sreenivasan, K., 1009
Jayanthi, S.
—; Kishore, K.: Synthesis and Characterization of Poly(vinyl acetate peroxide), 1887
Jaynes, C. B. See Abu-Isa, I. A., 1957
Jeng, R.-J. See Liu, Y.-L., 1619
Jensen, B. J. See Bryant, R. G., 1249
Jeong, H. M. See Choi, K.-J., 557
Jeong, J. K. See Jang, J., 2069
Jia, G. See Xiao, C., 931
Jiang, B. See Gan, Z., 961; Liang, H., 505
Jiang, W. See Liang, H., 505
Jiang, Z. See An, L., 1843
Jing, J. See An, L., 1843
Jo, W. H. See Choi, G. D., 443
Jobe, J. M. See Sutter, J. K., 565
Johnsen, K.
—; Kirkhorn, S.; Olafsen, K.; Redford, K.; Stori, A. A.: Modification of Polyolefin Surfaces by Plasma-Induced Grafting, 1651
Jukarainen, H. See Vainio, T., 2095
Jurkowski, B.
—; Koczorowska, E.; Goraczko, W.; Manuszak, J.: Radioisotopic Determination Methods of Sulfur Dispersion and Sulfur Blooming in Rubber Compounds, 639
Jyo, A.
—; Sassa, M.; Egawa, H.: Properties of Chelating Resins Prepared by Addition of 1,4,8,11-Tetraazacyclotetradecane-5,7-dione to Epoxy Groups of Poly(glycidyl methacrylate)s Crosslinked with Oligoethylene Glycol Dimethacrylates, 1049

Kafchinski, E. R. See Chung, T.-S., 77
Kajiwara, T. See Barakos, G., 543
Kakavas, P. A.
Mechanical Properties of Bonded Elastomer Discs Subjected to Triaxial Stress, 251
Kamath, M.
—; Kincaid, J.; Mandal, B. K.: Interpenetrating Polymer Networks of Photocrosslinkable Cellulose Derivatives, 45
Karakişla, M.
—; Saçak, M.; Akbulut, U.: Conductive Polyaniline/Poly(methyl methacrylate) Films Obtained by Electropolymerization, 1347
Karatas, I. See Kurbanova, R. A., 235
Kardash, I. See Likhatchev, D., 725
Karger-Kocsis, J. See Hoecker, F., 139
Karis, T. E.
An Overview of Rheology in the Computer Industry, 1405
Karjalainen, T.
—; Hiljanen-Vainio, M.; Malin, M.; Seppälä, J.: Biodegradable Lactone Copolymers. III. Mechanical Properties of ε-Caprolactone and Lactide Copolymers After Hydrolysis *in Vitro*, 1299
—; See Hiljanen-Vainio, M., 1281; Malin, M., 1289
Kaspar, H. R. E.
—; Pizzi, A.: Industrial Plasticizing/Dispersion Aids for Cement Based on Polyflavonoid Tannins, 1181
Kaur, I.
—; Misra, B. N.; Chauhan, M. S.; Chauhan, S.; Gupta, A.: Viscometric, Conductometric, and Ultrasonic Studies of Gelatin-*g*-polyacrylamide Composite, 389
Kawahara, Y.
—; Shioya, M.; Takaku, A.: Influence of Swelling of Noncrystalline Regions in Silk Fibers on Modification with Methacrylamide, 51
Kesenci, K. See Pişkin, E., 109
Keskkula, H. See Lu, M., 1467
Khulbe, K. C.
—; Kruczek, B.; Chowdhary, G.; Gagné, S.; Matsuura, T.: Surface Morphology of Homogeneous and Asymmetric Membranes Made from Poly(phenylene oxide) by Tapping Mode Atomic Force Microscope, 1151
Kiełkiewicz, J. See Dybko, A., 719
Kim, H. G. See Choi, G. D., 443
Kim, I. See Choi, K.-J., 557
Kim, J. See Lee, D. S., 1639
Kim, K.-H.
—; Cho, W.-J.; Ha, C.-S.: Properties of Dynamically Vulcanized EPDM and LLDPE Blends, 407
Kim, N. See Choi, D. H., 9
Kim, S.
—; Sarathchandra, D.; Mainwaring, D. E.: Effect of Urea on Molecular and Colloidal Aggregation of Proanthocyanidin Polymers from *Pinus radiata*, 1979
Kim, Y. See Lee, D. S., 1639
Kim, Y. S.
—; Chung, C. I.; Lai, S. Y.; Hyun, K. S.: Melt Rheological and Thermodynamic Properties of Polyethylene Homopolymers and

Poly(ethylene/α-olefin) Copolymers with Respect to Molecular Composition and Structure, 125
Kincaid, J. See Kamath, M., 45
Kirkhorn, S. See Johnsen, K., 1651
Kishida, A. See Furuzono, T., 1059; Matsumoto, T., 1067
Kishore, K. See Jayanthi, S., 1887
Kloczkowski, A. See Apostolov, A. A., 1667
Ko, T.-H.
Raman Spectrum of Modified PAN-Based Carbon Fibers During Graphitization, 577
Kober, H. See Puterman, M., 1237
Kober, K. See Pratsenko, S. A., 1525
Koczorowska, E. See Jurkowski, B., 639
Koinuma, Y. See Matsumoto, T., 1067
Komatsu, T.
Effects of Surface Treatments of Superdrawn Polyoxymethylene Fibers on Adhesion to Epoxy Resins, 1137
Kono, K.
—; Ohno, T.; Kumei, T.; Takagishi, T.: Permeability Characteristic of Polyelectrolyte Complex Capsule Membranes: Effect of Preparation Condition on Permeability, 687
Kou, X. See An, L., 1843
Kozluca, A. See Xu, K., 561
Kressler, J. See Setz, S., 1117
Krishna, D. See Haseebuddin, S., 29
Krochta, J. M. See Wilson, M. E., 1759
Kruczek, B. See Khulbe, K. C., 1151
Kumar, S. See Thorat, H. B., 1769
Kumari, K. A.
—; Sreekumar, K.: Structural Features of the Polymer Matrix Affecting the Efficiency of Acyl Transfer Reactions, 2039
Kumei, T. See Kono, K., 687
Kuo, J.-F. See Teo, L.-S., 1627
Kurbanova, R. A.
—; Mirzaoglu, R.; Akovali, G.; Rzaev, Z. M. O.; Karatas, I.; Okudan, A.: Side-Chain Functionalization of Polystyrene with Maleic Anhydride in the Presence of Lewis Acids, 235
Kuriakose, A. P. See Mathew, C., 365
Kuriakose, S. See Mathew, T., 23
Kuriyama, T. See Takaku, K., 887
Kurth, M. J. See Wilson, M. E., 1759

La Mantia, F. P. See Wenguang, M., 759
Lachtermacher, M. G.
—; Rudin, A.: Reactive Processing of LLDPEs in Counterrotating Nonintermeshing Twin-Screw Extruder. III. Methods of Peroxide Addition, 1775
—; Rudin, A.: Reactive Processing of LLDPEs with Peroxides in Counter-rotating Nonintermeshing Twin-Screw Extruder. IV. Effects of Molecular Structure of LLDPEs, 1213
Lacoste, J.
—; Delor, F.; Pilichowski, J. F.; Singh, R. P.; Prasad, A. V.; Sivaram, S.: Polybutadiene Content and Microstructure in High Impact Polystyrene, 953
Lai, J. Y. See Chen, S. H., 1129
Lai, S. Y. See Kim, Y. S., 125
Lajoie, G. See Thomson, B., 2009
Lan, L. See Gu, A., 975
Lassas, A.-C. See Södergård, A., 1709
Lautenschlager, E. P. See Waldmeier, M. D., 91
Lee, D. S.
—; Kim, Y.; Park, B.; Kim, J.: Thermal Stability and Compatibility of Epoxy/Polycarbonate and Epoxy/Tetramethyl Polycarbonate Blends, 1639
Lee, D.-K. See Tsai, H.-B., 1027
Lee, J. Y. See Jang, J., 2069
Lee, K.-H. See Yeom, C. K., 1271
Lee, P. H. C. See Shieh, Y.-T., 695, 707
Lee, S.
—; Mather, P. T.; Pearson, D. S.: Phase Behavior and Rheology of Blends Containing Polycarbonate and a Thermotropic Polyester, 243
Lee, S.-H. See Hasch, B. M., 1107
Lee, T. S. See Choi, D. H., 9
Lee, W.-F.
—; Hwong, G.-Y.: Polysulfobetaines and Corresponding Cationic Polymers. IV. Synthesis and Aqueous Solution Properties of Cationic Poly(MIQSDMAPM), 599
Lee, Y. M. See Oh, B.-K., 227
Lei, C.-P. See Rodriguez, F., 467
Lemaire, M. See Dunjic, B., 1255
Leonas, K. K.
—; Epps, H. H.: Factors That Influence Disintegration of PFD Cover Fabrics, 775
Li, B. See Yang, Y., 531, 1159
Li, G.
—; Chen, D.; Mo, Y.; Bai, F.: Studies on the Fluorescence Quenching of Anthracenes by Polysilane Copolymers, 1463
Li, H. See Ding, M., 923
Li, J. X.
—; Ness, J. N.; Cheung, W. L.: Lamellar Structure of POM Spherulites Imaged by a Two-Stage RuO_4 Staining Technique, 1733
Li, S. See Yang, Y., 433

Li, X.-G.
—; Huang, M.-R.; Guan, G.-H.; Sun, T.: Glass Transition of Thermotropic Polymers Based upon Vanillic Acid, *p*-Hydroxybenzoic Acid, and Poly(ethylene terephthalate), 1
Li, Y. See Ding, M., 923; Ouyang, J., 1827
Li, Z. See Gao, J., 1787
Liang, G. See Gu, A., 975
Liang, H.
—; Jiang, W.; Zhang, J.; Jiang, B.: Toughening Mechanism of Polymer Blends: Influence of Voiding Ability of Dispersed-Phase Particles, 505
Liaw, D.-J.
—; Ou, D.-L.: Radical Polymerization of New Functional Monomers: Mono- and Dimethacryloyl Isocyanate Containing Bisphenol-A and Its Derivatives, 1529
Likhatchev, D.
—; Gutierrez-Wing, C.; Kardash, I.; Vera-Graziano, R.: Soluble Aromatic Polyimides Based on 2,2-Bis(3-amino-4-hydroxyphenyl)Hexafluoropropane: Synthesis and Properties, 725
Lin, C.-C. See Ou, C.-F., 1379
Lin, J. J. See Hong, S. G., 1597
Liou, F. J.
—; Wang, Y. J.: Preparation and Characterization of Crosslinked and Heat-treated PVA–MA Films, 1395
Liu, J.-H. See Moon, H.-S., 489
Liu, J.-L. See Tsai, H.-B., 1027
Liu, Y.-L.
—; Hsiue, G.-H.; Chiu, Y.-S.; Jeng, R.-J.; Ma, C.: Synthesis and Flame-Retardant Properties of Phosphorus-Containing Polymers Based on Poly(4-hydroxystyrene), 1619
Liu, Z.
—; Gilbert, M.: Structure and Properties of Talc Filled Polypropylene: Effect of Phosphate Coating, 1087
Long, T. See Rodriguez, F., 467
Long, Y. See Tiganis, B. E., 663
Lu, F. See Gao, X., 1315
Lu, L. See Qiu, W., 1437, 1551
Lu, M.
—; Keskkula, H.; Paul, D. R.: Toughening of Nylon 6 with Core–Shell Impact Modifiers: Effect of Matrix Molecular Weight, 1467
Luca, C. See Gutanu, V., 1371
Luo, Y. See Tang, H., 383
Luque, J. L. A.
—; Bergas, E. M.; Egea, J. R. J.: Characterization of Cathodes for Rechargeable Lithium Batteries Based on New Vanadium Oxides and PEO/PPz Polymer Blends, 1173
Lyon, S. B. See Marsh, J., 897

Ma, C. See Liu, Y.-L., 1619
Ma, R. See An, L., 1843
Maciejewski, J. See Dybko, A., 719
Mainwaring, D. E. See Kim, S., 1979
Maiza, I. See Eguiazábal, J. I., 329
Malin, M.
—; Hiljanen-Vainio, M.; Karjalainen, T.; Seppälä, J.: Biodegradable Lactone Copolymers. II. Hydrolytic Study of ε-Caprolactone and Lactide Copolymers, 1289
—; See Karjalainen, T., 1299
Mandal, B. K. See Kamath, M., 45
Manivannan, G. See Shieh, Y.-T., 695, 707
Maniwa, S. See Inoue, A., 797
Mantecón, A. See Giménez, V., 425
Manuszak, J. See Jurkowski, B., 639
Marchessault, R. H. See Raymond, L., 1073
Marcu, M. See Giurgiu, D., 1507
Mark, J. E. See Apostolov, A. A., 1667
Marsh, J.
—; Scantlebury, J. D.; Lyon, S. B.: Poly(2-allyl)phenylene Oxide Electropolymer Films as an Adhesion-Enhancing Treatment for Steel, 897
Martel, B. See Weltrowski, M., 647
Maruyama, I. See Furuzono, T., 1059; See Matsumoto, T., 1067
Masuda, T. See Takigawa, T., 1563
Mather, P. T. See Lee, S., 243
Mathew, C.
—; Mini, V. T. E.; Kuriakose, A. P.; Francis, D. J.; Amma, M. L. G.: Effect of Fillers in the Binary Systems Containing TMTD–Amidinothiourea and MBTS–Amidinothiourea in NR Vulcanization, 365
Mathew, T.
—; Padmanabhan, M.; Kuriakose, S.: Catalytic Properties of Cobalt(II) Porphyrins Supported on Styrene–Divinylbenzene Copolymer, 23
Mathur, A. B. See Dayal, U., 1223
Matsumoto, M. See Sanda, F., 295
Matsumoto, T.
—; Koinuma, Y.; Waki, K.; Kishida, A.; Furuzono, T.; Maruyama, I.; Akashi, M.: Novel Functional Polymers: Poly(dimethylsiloxane)–Polyamide Multiblock Copolymer. IV. Gas Permeability and Thermomechanical Properties of Aramid–Silicone Resins, 1067
Matsuo, F. See Shiotani, A., 1907
Matsuura, T. See Khulbe, K. C., 1151

Mayer, M. J. J.
—; Meuldijk, J.; Thoenes, D.: Dynamic Modeling of Limited Particle Coagulation in Emulsion Polymerization, 83
—; Meuldijk, J.; Thoenes, D.: Emulsion Polymerization of Styrene with Disproportionated Rosin Acid Soap as Emulsifier (Note), 1047
Mays, J. W. See Jackson, C., 179
McHugh, M. A. See Hasch, B. M., 1107
Mehdorn, F. See Nitschke, M., 119
Meichsner, J. See Nitschke, M., 119
Meira, G. R. See Estenoz, D. A., 861; González, I. M., 1015
Meldon, J. H. See Wang, P., 937
Mercx, F. P. M.
—; Boersma, A.; Damman, S. B.: Electron Beam Crosslinking of Rigid-Rod Polyesters with Flexible Aliphatic Side Chains, 2079
Merlin, A.
—; Pizzi, A.: An ESR Study of the Silica-Induced Autocondensation of Polyflavonoid Tannins, 945
Meuldijk, J. See Mayer, M. J. J., 83, 1047
Michálková, D. See Fortelný, I., 155
Migahed, M. D.
—; Bakr, N. A.; Abdel-Hamid, M. I.; El-Hanafy, O.; El-Nimr, M.: Dielectric Relaxation and Electric Modulus Behavior in Poly(vinyl alcohol)-Based Composite Systems, 655
Mikešová, J. See Fortelný, I., 155
Miltz, J. See Yanai, G., 1145
Mini, V. T. E. See Mathew, C., 365
Mirzaoglu, R. See Kurbanova, R. A., 235
Mishra, S. P. See Rajendran, S., 99
Misra, B. N. See Kaur, I., 389
Mital, C. K. See Nagarajan, P., 191, 197, 203, 209
Mitsoulis, E. See Barakos, G., 543
Mo, Y. See Li, G., 1463
Moharram, M. A.
—; Balloomal, L. S.; El-Gendy, H. M.: Infrared Study of the Complexation of Poly(acrylic acid) with Poly(acrylamide), 987
Montanari, G. C. See Motori, A., 1715
Moon, H.-S.
—; Park, J.-K.; Liu, J.-H.: Molecular Orientation and Mechanical Properties of Polymer Blends of PBT and a Liquid Crystalline Polyester, 489
Morcellet, M. See Weltrowski, M., 647
Mori, R.
—; Haga, T.; Takagishi, T.: Reactive Dye Dyeability of Cellulose Fibers with Cellulase Treatment, 1263
Motori, A.
—; Montanari, G. C.; Gubanski, S.: Low-Frequency Dielectric Properties for Diagnosis of Aging in Polymeric Cables, 1715
Mülhaupt, R. See Setz, S., 1117
Müller, B.
—; Imblo, G.: Styrene Copolymers with Carboxyl Groups as Corrosion Inhibitors for Zinc Pigments in Aqueous Alkaline Media, 57

Nagarajan, P.
—; Mital, C. K.; Trivedi, M. K.: Latex Interpenetrating Polymer Networks Based on Polyacrylates and Polystyrene. I. Synthetic Variations, 191
—; Mital, C. K.; Trivedi, M. K.: Latex Interpenetrating Polymer Networks Based on Polyacrylates and Polystyrene. II. Effect of Methacrylic Acid Concentration in the Seed, 197
—; Trivedi, M. K.; Mital, C. K.: Latex Interpenetrating Polymer Networks Based on Polyacrylates and Poly(methyl methacrylate), 203
—; Trivedi, M. K.; Mital, C. K.: Latex Interpenetrating Polymer Networks Based on Polyacrylates and Network II Comprised of Poly(styrene-*co*-methyl methacrylate), 209
Nagy, D. J.
Characterization of Nonionic and Cationic Amine-Functional Polymers by Aqueous SEC-MALLS, 1479
Nakano, K. See Ikeda, T., 781
Nakano, Y. See Nishioka, N., 1203
Na-Ranong, N. See Thammathadanukul, V., 1741
Naresh, M. D. See Parthasarathy, K. M., 2049
Narisawa, I. See Takaku, K., 887
Narkis, M. See Zilberman, M., 581
Neagu, V. See Gutanu, V., 1371
Needles, H. L.
—; Park, M.-J.: The Effect of *N,N*-Dimethylformamide and Polymer Grafting on the Morphology of Polyester Fibers in Fabric Substrate, 1683
Ness, J. N. See Li, J. X., 1733
Ni, C.
—; Xu, Y.: Studies on Syntheses and Properties of Chelating Resins Based on Chitosan, 499
Nicolais, L. See Yang, Y., 1159
Nishioka, N.
—; Nakano, Y.; Hirota, T.; Fujiwara, N.; Uno, M.:

Thermal Decomposition of Cellulose/Synthetic Polymer Blends Containing Grafted Products. II. Cellulose/Polyacrylonitrile Blends, 1203

Nitschke, M.
—; Holländer, A.; Mehdorn, F.; Behnisch, J.; Meichsner, J.: Infrared Spectroscopic Characterization of Plasma-Treated Polyethylene, 119

Obendorf, S. K. See Rodriguez, F., 467
O'Connor, S. See Wycisk, R., 1607
O'Donnell, J. H. See Dong, L., 589
O'Gara, J. F. See Abu-Isa, I. A., 1957
Ogawa, T. See Takaku, K., 887
Ogbeifun, D. E. See Okieimen, F. E., 981
Oh, B.-K.
—; Wang, W. J.; Lee, Y. M.: Pervaporation of Pyridine–Water Mixture Through Poly(acrylonitrile-*co*-4-styrene sulfonic acid) Membrane, 227
Oh, S. T.
—; Han, S. H.; Ha, C. S.; Cho, W. J.: Synthesis and Biocidal Activities of Polymer. IV. Antibacterial Activity and Hydrolysis of Polymers Containing Diphenyl Ether, 1871
Ohata, M.
—; Yamamoto, M.; Takano, A.; Isono, Y.: Preparation and Characterization of End-Alkoxysilylated Polystyrene and the Grafting Behaviors onto Inorganic Pigments. II. Utilization of 4-Triethoxysilyl-α-methylstyrene, 399
O'Haver, J. H.
—; Harwell, J. H.; Evans, L. R.; Waddell, W. H.: Polar Copolymer–Surface-Modified Precipitated Silica, 1427
—; See Thammathadanukul, V., 1741
Ohno, T. See Kono, K., 687
Ohshige, T.-A. See Furuzono, T., 1059
Ohtsuka, H. See Sugihara, S., 1751
Okada, S. See Sugihara, S., 1751
Okieimen, F. E.
—; Ogbeifun, D. E.: Graft Copolymerizations of Modified Cellulose, Grafting of Acrylonitrile, and Methyl Methacrylate on Carboxy Methyl Cellulose, 981
—; Urhoghide, I. N.: Studies on Miscibility of Poly(vinyl chloride) with Natural Rubber-*graft*-Polyacrylonitrile and Natural Rubber-*graft*-Poly(methyl methacrylate), 1803
Öktem, Z. See Yerlikaya, Z., 165, 537
Okudan, A. See Kurbanova, R. A., 235
Olafsen, K. See Johnsen, K., 1651
Oliva, H. See Estenoz, D. A., 861
Oliva, H. M. See González, I. M., 1015
Oodate, M. See Takigawa, T., 1563
Ortego, J. D. See Aminabhavi, T. M., 1857
Osakai, T. See Fushimi, F., 15
Osanaiye, G. J.
Effects of Temperature and Strain Amplitude on Dynamic Mechanical Properties of EPDM Gum and Its Carbon Black Compounds, 567
Osuwan, S. See Thammathadanukul, V., 1741
Ou, C.-F.
—; Lin, C.-C.: Co[poly(ethylene terephthalate-*p*-oxybenzoate)] and Its Blends with Poly(ethylene terephthalate): Transesterification Reaction and Fractured Surface Morphology, 1379
Ou, D.-L. See Liaw, D.-J., 1529
Ou, Y.-C.
—; Yu, Z.-Z.; Vidal, A.; Donnet, J. B.: Effects of Alkylation of Silicas on Interfacial Interaction and Molecular Motions Between Silicas and Rubbers, 1321
—; Zhu, J.; Feng, Y.-P.: Interfacial Design of the Nonpolar Polyolefin Ternary Composite with High Strength, High Toughness, and High Modulus, 287
Ouyang, J.
—; Li, Y.: Influence of the Doped Counteranions on the Penetration of H^+ Cations Through Poly(*N*-methylpyrrole), 1827
Ozawa, T. See Tsukuda, R., 1043

Padmanabhan, M. See Mathew, T., 23
Paliwal, D. K. See Gupta, A. K., 1819
Pan, S.-H. See Tang, L.-G., 483
Panangama, L. A.
—; Pizzi, A.: A ^{13}C-NMR Analysis Method for MUF and MF Resin Strength and Formaldehyde Emission, 2055
Pandya, M. V. See Thorat, H. B., 1769
Papathomas, K. I.
—; Bhatt, A. C.: Debonding of Photoresists by Organic Solvents, 2029
Park, B. See Lee, D. S., 1639
Park, J.-K. See Moon, H.-S., 489
Park, M.-J. See Needles, H. L., 1683
Park, S. Y. See Choi, D. H., 9
Parthasarathy, K. M.
—; Naresh, M. D.; Arumugam,

V.; Subramaniam, V.; Sanjeevi, R.: A Study on the Viscoelastic Response of Silk, 2049

Pascault, J.-P. See Titier, C., 415

Pastor, J. M. See Quintanilla, L., 769

Paul, D. R. See Lu, M., 1467

Pearson, D. S. See Lee, S., 243

Pekcan, Ö.

Diffusion and Phase Relaxations Within the Interphase Domain of Polymer Blendlike Particles, 521

—; Canpolat, M.: Direct Fluorescence Technique to Study Evolution in Transparency and Crossing Density at Polymer–Polymer Interface During Film Formation from High-T Latex Particles, 277

—; See Canpolat, M., 1699

Pendse, A. V.

—; Collier, J. R.: Elongational Viscosity of Polymer Melts: A Lubricated Skin-Core Flow Approach, 1305

Peppas, N. A. See Am Ende, M. T., 673

Perego, G.

—; Cella, G. D.; Bastioli, C.: Effect of Molecular Weight and Crystallinity on Poly(lactic acid) Mechanical Properties, 37

Petrović, Z. S.

—; Budinski-Simendić, J.; Divjaković, V.; Škrbić, Ž.: Effect of Addition of Polyethylene on Properties of Polypropylene/Ethylene–Propylene Rubber Blends, 301

Pilichowski, J. F. See Lacoste, J., 953

Pintauro, P. N. See Wycisk, R., 1607

Pişkin, E.

—; Kesenci, K.; Şatiroğlu, N.; Genç, Ö.: Dithiocarbamate-Incorporated Monodisperse Polystyrene Microspheres as Specific Sorbents: Adsorption of Cadmium Ions, 109

—; See Xu, K., 561

Pizzi, A. See Kaspar, H. R. E., 1181; Merlin, A., 945; Panangama, L. A., 2055

Plawky, U.

—; Schlabs, M.; Wenig, W.: The Role of Styrene–Ethylene/Butylene–Styrene Triblock Copolymer as Impact Modifier in Polypropylene–Polyethylene Blends, 1891

Ploehn, H. J. See Wang, J.-Y., 345

Poinescu, I. C.

—; Vlad, C.; Ioanid, G.: On the Preparation of Porous Crosslinked Poly(ethylene dimethacrylate esters): Polymers and Copolymers, 991

Poliszko, S. See Hoffmann, G., 269

Pollock, H. M. See Song, M., 173

Pomery, P. J. See Dong, L., 589

Postolache, C. See Zaharescu, T., 969

Prabhu, C. S. See Thorat, H. B., 1769

Prasad, A. V. See Lacoste, J., 953

Pratsenko, S. A.

—; Bildyukevich, A. V.; Kober, K.; Tshmel, A.: "Memory" of the Substrate/Solution Interaction in the Properties of Ultrafiltration Membranes Prepared by the Phase-Inversion Method, 1525

Prausnitz, J. M. See Sassi, A. P., 1337

Pucciariello, R.

Melting Behavior of Ethylene–Tetrafluoroethylene Alternating Copolymer, 1227

Puchinskis, S. E. See Skripov, P. V., 1659

Puterman, M.

—; Jansen, B.; Kober, H.: Development of Organosilicone–Polyurethanes as Stone Preservation and Consolidation Materials, 1237

Qiu, W.

—; Yang, Y.; Yang, X.; Lu, L.; Wang, X.: Synthesis and Characterization of Polyimides from Divalent Metal Salts of *p*-Aminobenzoic Acid, 1437

—; Zeng, F.; Lu, L.; Wang, X.: Preparation and Characterization of Bismaleimides Chain-Extended by Ureylene Linkages, 1551

Quintanilla, L.

—; Alonso, M.; Rodríguez-Cabello, J. C.; Pastor, J. M.: Structural Analysis of Poly(ethylene terephthalate) Reinforced with Glass Fiber: Thermal Behavior and Correlation Between PA-FTIR and DSC Measurements, 769

Rajendran, S.

—; Ramasamy, S. S.; Mishra, S. P.: Tensile Behavior of Polyester Yarns Modified by Trichloroacetic Acid–Methylene Chloride Treatment, 99

Raju, K. V. S. N. See Haseebuddin, S., 29

Ram, A. See Yanai, G., 1145

Ramasamy, S. S. See Rajendran, S., 99

Rånby, B. See Shi, W., 1937, 1945, 1951

Rao, K. V. C. See Sreenivasan, K., 1009

Rathi, S. C. See Athawale, V. D., 1243

Ratto, J. A.

—; Chen, C. C.; Blumstein, R. B.: Phase Behavior

Study of Chitosan/ Polyamide Blends, 1451
Raymond, L.
—; Revol, J.-F.; Ryan, D. H.; Marchessault, R. H.: Precipitation of Ferrites in Nafion® Membranes, 1073
Rebenfeld, L. See Reinsch, V. E., 1913, 1929
Reddy, P. J. See Haseebuddin, S., 29
Redford, K. See Johnsen, K., 1651
Reihmane, S. See Bledzki, A. K., 1329
Reimers, J.
—; Schork, F. J.: Robust Nucleation in Polymer-stabilized Miniemulsion Polymerization, 1833
Reinsch, V. E.
—; Rebenfeld, L.: Crystallization of Poly(ethylene Terephthalate)/ Polycarbonate Blends. I. Unreinforced Systems, 1913
—; Rebenfeld, L.: Crystallization of Poly(ethylene Terephthalate)/ Polycarbonate Blends. II. The Effects of Fiber Reinforcement, 1929
Ren, L. See Gao, J., 1787
Revol, J.-F. See Raymond, L., 1073
Riga, J. See Fally, F., 1569
Rockett, T. J. See Shah, C. B., 263, 359
Rodriguez, F.
—; Long, T.; Lei, C.-P.; Obendorf, S. K.: Kinetic Models for the Autocatalytic Deprotection of Copolymers Based on 4-Hydroxystyrene and Styrene, 467
Rodríguez-Cabello, J. C. See Quintanilla, L., 769
Romaniuk, R. S. See Dybko, A., 719
Rudin, A. See Lachtermacher, M. G., 1213, 1775; Thomson, B., 2009
Ryan, D. H. See Raymond, L., 1073
Rzaev, Z. M. O. See Kurbanova, R. A., 235

Saçak, M.
—; Çelýk, M.: Hydrogen Peroxide-Initiated Grafting of Acrylamide onto Poly(ethylene terephthalate) Fibers in Benzyl Alcohol, 1191
—; See Çelik, M., 609; Karakişla, M., 1347
Sakurai, S. See Ikeda, T., 781
Sánchez, G. See Carriedo, G. A., 1879
Sanda, F.
—; Matsumoto, M.: Degradation Behavior of Poly(2,3-Dihydrofuran), 295
Sandén, R.
—; Stenberg, B.: Increase of Mechanical Strength of Hydroxy Terminated Polybutadiene by Adding Small Amounts of Carbon Black (Note), 1195
Sanjeevi, R. See Parthasarathy, K. M., 2049
Saraf, D. N. See Dua, V., 749
Sarathchandra, D. See Kim, S., 1979
Sarkar, S. See Chatterjee, S., 1973
Sasaki, N.
—; Hayakawa, I.; Hikichi, K.; Atkins, E. D. T.: Deformation of λ-Phage DNA Molecules in an Elongational Flow Field, 1389
Sassa, M. See Jyo, A., 1049
Sassi, A. P.
—; Blanch, H. W.; Prausnitz, J. M.: Characterization of Size-Exclusion Effects in Highly Swollen Hydrogels: Correlation and Prediction, 1337
Şatiroğlu, N. See Pişkin, E., 109
Savaşkan, S.
—; Beşirli, N.; Hazer, B.: Synthesis of Some New Cation-Exchanger Resins, 1515
Sawai, M. See Yoshimura, K., 1033
Sawan, S. P. See Shieh, Y.-T., 695, 707
Scantlebury, J. D. See Marsh, J., 897
Schlabs, M. See Plawky, U., 1891
Schork, F. J. See Reimers, J., 1833
Scicchitano, M. See Tonelli, C., 311
Seki, K. See Furuzono, T., 1059
Selvakumar, N. See Somashekarappa, H., 1677
Sen, K. See Bajaj, P., 1539
Seppälä, J. See Hiljanen-Vainio, M., 1281; Karjalainen, T., 1299; Malin, M., 1289; Vainio, T., 2095
Setz, S.
—; Stricker, F.; Kressler, J.; Duschek, T.; Mülhaupt, R.: Morphology and Mechanical Properties of Blends of Isotactic or Syndiotactic Polypropylene with SEBS Block Copolymers, 1117
Shah, C. B.
—; Rockett, T. J.: A Diffusional Interphase in Layered Polyesters, 263
—; Rockett, T. J.: Interfacial Diffusion in Layered Polyesters, 359
Shang, S. See Zhang, Y., 1167
Shanks, R. A. See Tiganis, B. E., 663
Sharma, C. P. See Hari, P. R., 1795
Shashikant See Dayal, U., 1223
Shau, M.-D. See Wang, T.-S., 215
Shen, C. See Wironen, J., 825

Shi, W.
—; Rånby, B.: Photopolymerization of Dendritic Methacrylated Polyesters. I. Synthesis and Properties, 1937
—; Rånby, B.: Photopolymerization of Dendritic Methacrylated Polyesters. II. Characteristics and Kinetics, 1945
—; Rånby, B.: Photopolymerization of Dendritic Methacrylated Polyesters. III. FRP Composites, 1951
Shieh, Y.-T.
—; Su, J.-H.; Manivannan, G.; Lee, P. H. C.; Sawan, S. P.; Spall, W. D.: Interaction of Supercritical Carbon Dioxide with Polymers. I. Crystalline Polymers, 695
—; Su, J.-H.; Manivannan, G.; Lee, P. H. C.; Sawan, S. P.; Spall, W. D.: Interaction of Supercritical Carbon Dioxide with Polymers. II. Amorphous Polymers, 707
Shiotani, A.
—; Matsuo, F.: Liquid Crystalline Aromatic Polyesters Containing *para*-Linked Dimethylbiphenylene Moieties, 1907
Shioya, M. See Kawahara, Y., 51
Shon, K. H. See Choi, K.-J., 557
Siegmann, A. See Zilberman, M., 581
Simeone, G. See Tonelli, C., 311
Simionescu, B. C. See Gutanu, V., 1371
Singh, R. P. See Lacoste, J., 953
Sivaram, S. See Lacoste, J., 953
Škrbić, Ž. See Petrović, Z. S., 301
Skripov, P. V.
—; Puchinskis, S. E.: Spontaneous Boiling-Up as a Specific Relaxation Process in Polymer Solvent Systems, 1659
Södergård, A.
—; Ekman, K.; Stenlund, B.; Lassas, A.-C.: The Influence of EB-Crosslinking on Barrier Properties of HDPE–Mica Composites, 1709
Sofranschi, V. See Gutanu, V., 1371
Somashekar, R. See Somashekarappa, H., 1677
Somashekarappa, H.
—; Selvakumar, N.; Subramaniam, V.; Somashekar, R.: Effect of Physical and Chemical Modifications on Microcrystalline Parameters of Silk Fibers, 1677
Song, M.
—; Hourston, D. J.; Pollock, H. M.: Deformation in Glassy Polymers, 173
Song, S. See Choi, D. H., 9
Spall, W. D. See Shieh, Y.-T., 695, 707
Sreekumar, K. See Kumari, K. A., 2039
Sreenivasan, K.
Effect of Blending β-Cyclodextrin with Poly(vinyl chloride) on the Leaching of Phthalate Ester to Hydrophilic Medium, 2089
Sreenivasan, K.
—; Jayabalan, M.; Rao, K. V. C.: Studies on the Sorption of Lipids in Segmented Polyurethanes: III. Effecting of Stretching at Room Temperature, 1009
Stastna, J. See Zanzotto, L., 1897
Stenberg, B. See Engman, L., 1365; Sandén, R., 1195
Stenlund, B. See Södergård, A., 1709
Stern, D. See Engman, L., 1365
Stoleriu, A. See Giurgiu, D., 1507
Storbeck, R.
—; Ballauff, M.: Synthesis and Thermal Analysis of Copolyesters Deriving from 1,4:3,6-Dianhydrosorbitol, Ethylene Glycol, and Terephthalic Acid (Note), 1199
Stori, A. A. See Johnsen, K., 1651
Stricker, F. See Setz, S., 1117
Su, J.-H. See Shieh, Y.-T., 695, 707
Su, K.-F. See Wei, K.-H., 787
Subramaniam, N. See Gan, S. N., 63
Subramaniam, V. See Parthasarathy, K. M., 2049; Somashekarappa, H., 1677
Sugihara, S.
—; Okada, S.; Ohtsuka, H.; Yamaki, J.: Effects of the Surface State of Plastics on Adhesive Strength in Electroless Plating, 1751
Sumimoto, S. See Tsukuda, R., 1043
Sun, T. See Li, X.-G., 1
Sung, N. See Wang, P., 937
Sutter, J. K.
—; Jobe, J. M.; Crane, E. A.: Erratum to "Statistical Design in Isothermal Aging of Polyimide Resins", 565
Suzuki, T. See Inoue, T., 1443

Taha, M. See Titier, C., 415
Takagishi, T. See Kono, K., 687; Mori, R., 1263
Takaku, A. See Kawahara, Y., 51
Takaku, K.
—; Ogawa, T.; Kuriyama, T.; Narisawa, I.: Fracture Behavior and Morphology of Spun Collagen Fibers, 887
Takano, A. See Ohata, M., 399
Takigawa, T.
—; Oodate, M.; Urayama, K.; Masuda, T.: Structure and Viscoelastic Properties of

Segmented Polyurethane Blends, 1563
Tang, A. See Tang, H., 383
Tang, H.
—; Chen, X.; Tang, A.; Luo, Y.: Studies on the Electrical Conductivity of Carbon Black Filled Polymers, 383
Tang, L.-G.
Influence of Boron Treatment on Oxidation of Carbon Fiber in Air, 915
Tang, L.-G.
—; Hon, D. N.-S.; Pan, S.-H.; Zhu, Y.-Q.; Wang, Z.; Wang, Z.-Z.: Evaluation of Microcrystalline Cellulose. I. Changes in Ultrastructural Characteristics During Preliminary Acid Hydrolysis, 483
Taraiya, A. K.
—; Ward, I. M.: Production and Properties of Biaxially Oriented Polyethylene Tubes, 627
Tatsuta, T. See Yoshimura, K., 1033
Teo, L.-S.
—; Kuo, J.-F.; Chen, C.-Y.: The Permeation and Sorption of CO_2 Through Amine-Contained Polyurethane and Poly(urea–urethane) Membranes, 1627
Thammathadanukul, V.
—; O'Haver, J. H.; Harwell, J. H.; Osuwan, S.; Na-Ranong, N.; Waddell, W. H.: Comparison of Rubber Reinforcement Using Various Surface-Modified Precipitated Silicas, 1741
Thoenes, D. See Mayer, M. J. J., 83, 1047
Thomson, B.
—; Rudin, A.; Lajoie, G.: Dispersion Copolymerization of Styrene and Divinylbenzene. II. Effect of Crosslinker on Particle Morphology, 2009
Thorat, H. B.
—; Prabhu, C. S.; Kumar, S.; Pandya, M. V.: γ-Ray-Induced Degradation in Ethylene–Propylene Copolymer, 1769
Tiganis, B. E.
—; Shanks, R. A.; Long, Y.: Effects of Processing on the Microstructure, Melting Behavior, and Equilibrium Melting Temperature of Polypropylene, 663
Tinçer T. See Aydinli, B., 1489
Titier, C.
—; Pascault, J.-P.; Taha, M.: Synthesis of Epoxy–Amine Multiacrylic Prepolymers by Reactive Extrusion, 415
Tonelli, C.
—; Trombetta, T.; Scicchitano, M.; Simeone, G.; Ajroldi, G.: New Fluorinated Thermoplastic Elastomers, 311
Trivedi, M. K. See Nagarajan, P., 191, 197, 203, 209
Trombetta, T. See Tonelli, C., 311
Tsai, C.-E. See Hu, D. S., 1809
Tsai, H.-B.
—; Lee, D.-K.; Liu, J.-L.; Tsao, Y.-S.; Tsai, R.-S.: Block Copolyetheresters. V. Low-Temperature Properties of Thermotropic Block Copolyetheresters, 1027
Tsai, R.-S. See Tsai, H.-B., 1027
Tsao, Y.-S. See Tsai, H.-B., 1027
Tshmel, A. See Pratsenko, S. A., 1525
Tsuji, O. See Yoshimura, K., 1033
Tsukuda, R.
—; Sumimoto, S.; Ozawa, T.: Interaction Between Fillers and Matrix in ABS Resin Composites Observed by Thermophysical Measurements (Note), 1043
Turta, C. See Gutanu, V., 1371
Tzoganakis, C. See Barakos, G., 543
Uno, M. See Nishioka, N., 1203
Urayama, K. See Takigawa, T., 1563
Urhoghide, I. N. See Okieimen, F. E., 1803

Vainio, T.
—; Jukarainen, H.; Seppälä, J.: Compatibilization of Polypropylene/Poly(*n*-butylacrylate) Blend: Functionalization of the Poly(*n*-butylacrylate) Phase by Copolymerization, 2095
Valdez, E. See Estenoz, D. A., 861
Vera-Graziano, R. See Likhatchev, D., 725
Verbist, J. J. See Fally, F., 1569
Vidal, A. See Ou, Y.-C., 1321
Virlet, I. See Fally, F., 1569
Vlad, C. See Poinescu, I. C., 991
Vrtis, J. K.
—; Farris, R. J.: Mass Diffusion Coefficients of Polymer Films Using Real-Time Holographic Interferometry, 1849

Waddell, W. H. See O'Haver, J. H., 1427; Thammathadanukul, V., 1741
Waki, K. See Furuzono, T., 1059, 1067
Waldmeier, M. D.
—; Greener, E. H.; Lautenschlager, E. P.: Structural Characterization of Selected Prosthetic–Orthotic Polymers by Nuclear Magnetic Resonance Spectroscopy, 91
Wang, D. See Zhang, Y., 1167
Wang, J. See Cao, J., 905
Wang, J.-Y.
—; Ploehn, H. J.: Dynamic Mechanical Analysis of the Effect of Water on Glass Bead–Epoxy Composites, 345
Wang, L. See Yang, Y., 433
Wang, P.
—; Meldon, J. H.; Sung, N.:

Heat Effects in Sorption of Organic Vapors in Rubbery Polymers, 937
Wang, T.-S.
—; Yeh, J.-F.; Shau, M.-D.: Syntheses, Structure, Reactivity, and Thermal Properties of Epoxy–Imide Resin Cured by Phosphorylated Triamine, 215
Wang, W. See Wycisk, R., 1607
Wang, W. J. See Oh, B.-K., 227
Wang, X. See Ding, M., 923; Qiu, W., 1437, 1551
Wang, Y. J. See Liou, F. J., 1395
Wang, Y.-F.
—; Chan, K. P.; Hay, A. S.: Rheological and Chemorheological Studies of Cyclic Aryl Ether Ketone and Aryl Ether Thioether Ketone Oligomers Containing the 1,2-Dibenzoylbenzene Moiety, 831
Wang, Z. See Tang, L.-G., 483
Wang, Z.-Z. See Tang, L.-G., 483
Ward, I. M. See Taraiya, A. K., 627
Watanabe, T. See Fushimi, F., 15
Wei, K.-H.
—; Su, K.-F.: A Study on Blends of Liquid Crystalline Copolyesters with Polycarbonate. II. Transesterification Control, 787
Weinkauff, D. J. See Asrar, J., 1001
Weltrowski, M.
—; Martel, B.; Morcellet, M.: Chitosan *N*-Benzyl Sulfonate Derivatives as Sorbents for Removal of Metal Ions in an Acidic Medium, 647
Wenguang, M.
—; La Mantia, F. P.: Processing and Mechanical Properties of Recycled PVC and of Homopolymer Blends with Virgin PVC, 759
Wenig, W. See Plawky, U., 1891
Wesslén, B. See Jannasch, P., 619
Whalen, J. M. See Chao, H. S.-I., 473
Wilson, M. E.
—; Hu, M.; Kurth, M. J.; Hsieh, Y.-L.; Krochta, J. M.: Preparation and Characterization of Lactitol-Based Poly(ether polyol)s for Rigid Polyurethane Foam, 1759
Wironen, J.
—; Shen, C.; Yan, J.; Batich, C.: High-Precision Measurement of the Swelling of Microspheres, 825
Wróblewski, W. See Dybko, A., 719
Wu, Z. See Cao, J., 905
Wunder, S. L. See Huang, W. X., 511
Wycisk, R.
—; Pintauro, P. N.; Wang, W.; O'Connor, S.: Polyphosphazene Membranes. I. Solid-State Photocrosslinking of Poly[(4-ethylphenoxy)-(phenoxy)phosphazene], 1607

Xiao, C.
—; Zhang, Y.; An, S.; Jia, G.: Investigation on the Thermal Behaviors and Mechanical Properties of Ultrahigh Molecular Weight Polyethylene (UHMW-PE) Fibers, 931
Xu, K.
—; Kozluca, A.; Denkbaş, E. B.; Pişkin, E.: Synthesis of PDLLA Homopolymers with Different Molecular Weights (Note), 561
Xu, Y. See Ni, C., 499
Xu, Y. Z.
—; Fong, C. F. C. M.; De Kee, D.: Shear Stress from Rate-Dependent and Nonaffine Network Models for Melts in Complex Shear Histories, 1099

Yahya, R. See Gan, S. N., 63
Yamada, B. See Ikeda, T., 781
Yamaki, J. See Sugihara, S., 1751
Yamamoto, M. See Ohata, M., 399
Yamashita, Y. See Fushimi, F., 15
Yan, J. See Wironen, J., 825
Yanai, G.
—; Ram, A.; Miltz, J.: Accelerated Weathering-Induced Degradation of Unprotected Polyethylene Slabs. II., 1145
—; See Gao, J., 1787
Yang, M.-C.
—; Yu, D.-G.: Influence of Precursor Structure on the Properties of Polyacrylonitrile-Based Activated Carbon Hollow Fiber, 1725
Yang, X. See Qiu, W., 1437
Yang, Y.
—; D'Amore, A.; Di, Y.; Nicolais, L.; Li, B.: Effect of Physical Aging on Phenolphthalein Polyethersulfone/Poly(phenylene sulfide) Blend. I. Mechanical Properties, 1159
—; Li, B.; Dong, L.: Enhanced Glass Fiber-Reinforced Phenolphthalein Poly(ether ketone) Composites by Blending Poly(phenylene sulfide), 531
—; Wang, L.; Li, S.: Formaldehyde-Free Zein Fiber—Preparation and Investigation, 433
—; See Qiu, W., 1437
Yang, Z. See Ding, M., 923
Yaseen, M. See Haseebuddin, S., 29
Yeh, J.-F. See Wang, T.-S., 215
Yen, M.-S. See Hwang, K.-S., 1559

Yeom, C. K.
—; Lee, K.-H.: A Study on Permeation Behavior of a Liquid Mixture Through PVA Membranes Having a Crosslinking Gradient Structure in Pervaporation, 1271
Yerlikaya, Z.
—; Erinç, K.; Öktem, Z.; Bayramli, E.: Chain-Extended Bismaleimides. II. A Study of Chain-Extended Bismaleimides as Matrix Elements in Carbon Fiber Composites, 537
—; Öktem, Z.; Bayramli, E.: Chain-Extended Bismaleimides. I. Preparation and Characterization of Maleimide-Terminated Resins, 165
Ying, S. K. See Fan, L. H., 1417
Yoshimura, K.
—; Hozumi, K.; Tatsuta, T.; Sawai, M.; Tsuji, O.: Preparation of Hydrophilic Plasma–Polymers Derived from Oxygen-Containing Organic Monomers, 1033
Yu, D.-G. See Yang, M.-C., 1725
Yu, Z.-Z. See Ou, Y.-C., 1321
Yuan, W. See Iroh, J. O., 737
Yushanov, S. P. See Isayev, A. I., 803, 815

Zaharescu, T.
—; Postolache, C.; Giurginca, M.: The Structural Changes in Butyl and Halogenated Butyl Elastomers During Gamma Irradiation, 969
Zanzotto, L.
—; Stastna, J.; Ho, K.: Characterization of Regular and Modified Bitumens via Their Complex Modulus, 1897
Zeng, F. See Qiu, W., 1551
Zhang, J. See Ding, M., 923; Gan, Z., 961; Liang, H., 505
Zhang, X. See Zhang, Y., 1167
Zhang, Y.
—; Shang, S.; Zhang, X.; Wang, D.; Hourston, D. J.: The Influence of the Composition of Rosin-Based Rigid Polyurethane Foams on Their Thermal Stability, 1167
—; See Xiao, C., 931
Zhang, Z. P. See Fan, L. H., 1417
Zhu, J. See Ou, Y.-C., 287
Zhu, Y.-Q. See Tang, L.-G., 483
Zilberman, M.
—; Siegmann, A.; Narkis, M.: Structure and Properties of 6/6.9 Copolyamide Series. I. Amorphous Phase, 581

Journal of Applied Polymer Science

Subject Index to Volume 59

ABS resin composites, 1043
Absorption, 1009
Acidic comonomers, 1819
Acrylamide–methacrylic acid (AAM–MAA) mixture, 609
Acrylic emulsions, 339
Acrylonitrile-based copolymers, 1539
Activated carbon hollow fibers (ACHF), 1725
Acyl transfer reagents, 2039
Additives, 1897
Adhesion, 897, 1137, 1443, 2095
Adhesion values, 537
Adhesive joint failure techniques, 897
Adhesive resins, 1751
Adhesive strength, 1751
Adhesives, 1243
Aggregation behavior, 1979
Aging, 1715
Air separation, 77
Alkaline pyran ring cleavage, 945
Amine-functional polymers, 1479
Amorphous phase, 581
Annealing, 769, 1585, 1699
Anthracenes, 1463
Antibacterial activities, 1871
Aqueous alkaline media, 57
Aramid–silicone resins, 1067
Aromatic polyimides, 725
Asymmetric membranes, 1151
Atmospheric influences, 1237
Autocatalytic deprotection, 467
Avrami model, 1913
Azobisisobutyronitrile, as chemical initiator, 609

BADGE-DDM Epoxy Resin, 1493
Bearing grease, 1405
Biaxially oriented polyethylene tubes, 627
Bifunctional initiators, 1015
Bioadhesive controlled-release dosage forms, 673
Biocides, 1871
Biodegradability, 1281, 1289, 1299
Biomedical applications, 561
Birefringence compensation technique, 263
Bismaleimides, 1551
Bisphenol-A, 1529
Bitumens, 1897
Bivariate weight chain-length distributions (WCLDs), 861
Blends, 155, 243, 301, 329, 407, 443, 489, 505, 557, 619, 759, 787, 845, 1117, 1159, 1173, 1203, 1379, 1443, 1451, 1467, 1563, 1639, 1667, 1787, 1803, 1843, 1891, 1913, 1929, 1957, 1995, 2089
Block copolyetheresters, 1027
Block copolymer, 1117
Block copolymers, 905, 961, 1507, 1515
Bonded elastomer discs, 251
Boron treatment, carbon fiber, 915
Bound rubber determination, 1321
Bovine serum albumin (BSA), 1809
Branched polymers, 179
Brominated epoxy resin/dicyandiamide (DICY) system, 1597

Cable models, 1715
Cadmium ions, 109
Calibration equation, 1897
ε-capralactone copolymers, 1289, 1299
ε-caprolactone copolymers, 1281
Carbon black, 1195
Carbon black (CB) filled high-density polyethylene (HDPE), 383
Carbon black loadings φ, 567
Carbon dioxide, 695, 707
Carbon fiber, 915
Carbon fibers, 139, 537, 577
Cathode paste, 1405
Cathodes, 1173
Cationic quaternary polyelectrolytes, 599
Cellulase treatment, 1263
Cellulose fibers, 1263
Cellulose-polyamide 66 (PA66) blends, 1995
Cement mixes, 1181
Ceric ion initiator, 981
Cerric ion–toluene redox pair, 1987
Chain extenders, 1627
Chain-extended bismaleimide resins, 537
Chain-extended bismaleimides, 165, 1551
Chelating resins, 499, 1049
Chemical binding, 1417
Chemical derivatization (CD) reactions, 119
Chiral poly(urea)s, 1255
Chitosan, 499, 1451
Chitosan-based sorbents, 647
Chitosan/calcium alginate microencapsulation process, 1795
Cloud-point behavior, 1107
Coatings, 339
Cobalt complexed membrane, 1129
Colloidal stabilization, 83
Compatibility, 1639
Compatibilization, 2095
Compatibilizers, 1203
Compatibilizing, 557, 619
Composite hollow fibers, 77

Composites, 139, 287, 345, 389, 531, 537, 655, 1087, 1329, 1709, 1951, 2069
Compression strength, 1167
Computer hardware, 1405
Conductivity, 1347
Controlled-rheology polypropylene melts, 543
6/6.9 copolyamides, 581
Copolyesters, 1199
Copolymerization, 781
Copolymers, 125, 1227, 1281, 1289, 1299
Copolymer–Solvent Phase Behavior, 1107
Core-shell morphology, 203
Core–shell impact modifiers, 1467
Corrosion inhibitors, 57
Cotton fabrics, 1559
Counter-rotating nonintermeshing twin-screw extruder, 1213
Counteranions, 1827
Counterrotating nonintermeshing twin-screw extruder, 1775
Creep behavior, 77
Crosslink density, 365
Crosslinking, 425, 433, 459, 511, 589, 673, 887, 969, 1049, 1271, 1371, 1395, 1443, 1551, 1569, 2009, 2039, 2079
Crosslinking gradient structure, 1271
Crystalline polymers, 695, 707
Crystallinity, 37, 581, 1145
Crystallites, 483, 1667
Crystallization, 37, 663, 1227, 1891, 1913, 1929
Cuprammonium cellulose solution (CCS) coagulation, 15
Cure, 1493
Curing, 365, 511, 1249, 1597
Cyclic aryloxyphosphazenes, 1879
β-Cyclodextrin, 2089

Debonding, 2029
Degradation, 71, 295, 425, 483
Dehydration, 227
Dendritic polyesters, 1937, 1945, 1951
Dense membranes, 1607
Devulcanization energy, 815
1,2-Dibenzoylbenzene moiety, 831
Diblock copolymer, 961
Die-drawing process, 627
Dielectric relaxation, 269, 655
Dielectric thermal analysis (DETA), 269
Differential scanning calorimetry, 425
Differential scanning calorimetry (DSC), 1, 203, 215, 329, 663, 769, 787, 905, 975, 1027, 1281, 1289, 1451, 1507, 1597, 1803, 1819, 1913, 1227, 1929
Differential thermal analysis (DTA), 1683
Diffusion, 1009
Diffusion behavior, 937
Diffusion equation, 1271
Digital light microscopy, 825
Diol component, 1199
Direct energy transfer (DET), 521
Direct fluorescence method, 277
Dispersed LCP phase, 443
Dispersed particles, 155
Dispersed-phase particles, 505
Dispersion copolymerization, 2009
Dispersion polymerization, 109
Disproportionated rosin acid soap (DRAS), 1047
DNA, 1389
Doped counteranions, 1827
Droplet nucleation, 1833
Dry-spinning method, 433
Dye molecules, 521
Dyeing methods, 1683
Dyes, 1263
Dynamic mechanical analysis (DMA), 1, 311, 345, 905, 1027, 1159, 1451
Dynamic vulcanization, 407

EB-crosslinking, 1709
Elastic modulus, 453, 1145
Elastomers, 969, 1281, 1957
Electric Modulus Behavior, 655
Electrical conductivity, 383
Electrochemical polymerization, 1347
Electrodeposition, 737
Electroheological (ER) fluids, 797
Electroless plating, 1751
Electrolyte solutions (ES), 15
Electron beam irradiation, 2079
Electron tunneling, 383
Electropolymer films, 897
Elongation, 1145, 1843
Elongational flow field, 1389
Elongational viscosity, 1305
Emulsifier, 1047
Emulsion polymerization, 83, 1047, 1787
Encapsulation, 1795
Engineering thermoplastics, 1467
Epoxy resin, 1493
Epoxy resins, 215, 1137, 1639
Epoxy-amine multiacrylic prepolymers, 415
Epoxy/Epoxy-thermoplastics blends, 1639
Equilibrium melting temperatures, 663
Esterification, 1619
Ethylene-propylene (EP) copolymers, 1769
Ethylene-propylene rubber (EPR), 301

Fabric substrate, 1683
Fabrics, 775
Faraday's law, 737
Fiber aspect ratio, 531
Fiber optic chemical sensors, 719
Fiber reinforcement, 1929
Fiber-reinforced plastics, 1329
Fiber-reinforced polyester composites, 1951
Fiber/matrix interfacial adhesion, 531
Fibers, 77, 139, 269, 433, 577, 609, 887, 931, 1137, 1191, 1263, 1329, 1585, 1677, 1683, 1987
Fiber–matrix interface, 769
Fickian model for diffusion, 521
Fick's equation, 1857
Fillers, 365, 1043, 1195
Filler–elastomer interactions, 567
Films, 119, 1033, 1347, 1395, 1451, 1849, 1937, 1973
Fineman–Ross method, 1529, 1539

Flocculation, 599
Flory–Huggins thermodynamics, 1271
Flow birefringence, 1389
Fluorescence quenching, 1463
Fluorinated thermoplastic elastomers (FTE), 311
Fluoropolymer lubricants, 1405
Foams, 1167, 1489
Formaldehyde emission, 2055
Fourier transform (FT)-Raman spectroscopies, 953
Fourier transform infrared (FTIR) analysis, 71
Fourier transform infrared spectroscopy (FTIR), 1417, 1639, 1683
Fourier transform-infrared (FTIR) spectroscopy, 511
Fracture morphology, of fibers, 887
Free radicals, 969
Free-radical polymerization, 1243
Free-radical polymerizations, 749
Free-radical-initiated oxidative polymerization, 1887
Functionalization, 619, 1607
Functionalized polymers, 235

Gamma irradiation, 969
Gas permeability, 1067, 1315
Gas separation, 1129
Gastrointestinal tract delivery system, 1795
Gel fiber drawing method, 931
Gel permeation chromatography (GPC), 589, 1507
Gelatin, 389
Gels, 459, 1395, 1489
Gent's equation, 251
Glass bead-epoxy composites, 345
Glass fiber, 2069
Glass fiber-reinforced PEK-C composites, 531
Glass fiber-reinforced PET, 769
Glass transition temperature, 581, 619, 655, 1493, 1563
Glass transition temperature (T_g), 1, 1199
Glassy polymers, 173
Global initiator concentration, 1015
Glucose permeability, 1395
Graft copolymerization, 389, 981, 1987
Grafting, 399, 609, 1191, 1203, 1651, 1683, 1973
Graphite fibers, 577
Graphite Fiber–Polyimide Prepregs, 737
Graphitization, 577
Gyration distributions, 179

H^+ cations, 1827
Halide anions, 599
Hardeners, 425
Haul-off speed, 627
HDPE–mica composites, 1709
Heat effects in sorption, 937
Heat resistance, 1751
Heat treatment, 1395
Heat-resistant compounds, 1365
High impact polystyrene (HIPS), 953
High-impact polystyrene (HIPS) process, 861
High-Impact-Strength Polyethylene terephthalate (PET), 1957
High-T latex dispersions, 277
High-temperature size-exclusion chromatography (HTSEC), 1223
Highly swollen hydrogels, 1337
Hoffman–Weeks method of extrapolation, 663
Homogeneous membranes, 1151
Homopolymers, 125, 561
Hot-melt adhesive, 1405
Hydrogels, 673, 1337, 1809
Hydrogen bonding, 655, 987, 1569
Hydrogen bonds, 581, 619
Hydrogen peroxide-initiated grafting, 1191
Hydrogen transfer, 1255
Hydrogenation, of natural rubber, 63
Hydrolysis, 1299, 1871
Hydrophilic films, 1033
Hydrophilicity, 191, 209, 673
Hydroxyethyl end groups, 1001

In situ copolymerization, 781
in vitro, 1299
Inert gas plasma, 1651
Infrared (IR) spectroscopy, 119, 1371
Infrared spectroscopy, 987
Inorganic pigments, 399
Instantaneous elastic response, 453
Insulin, 1795
Integral constitutive equations, 543
Interfacial adhesion, 287, 1379
Interfacial conditions, 557
Interfacial diffusion, 359
Interfacial interaction, 1321
Interfacial miscibility, 1137
Interfacial potentials, 15
Interfacial shear strength, 139
Interlaminar shear strength (ILSS), 537
Interpenetrating polymer networks (IPNs), 45
Interphase, 263, 359, 2095
Interphase domain, 521
Interpolymer complexation, 987
Intrinsic viscosity distributions, 179
Ion flux, 15
Ion-exchange resins, 1515
Ionic polymers, 1371
Ionic polymer–porphyrin linkage, 23
Ionizable hydrophilic polymers, 673
Iron oxide particle precipitation, 1073
Iron oxide particles, 1073
γ-irradiation, 71, 589, 1769
Isomeric polyimides, 923
Isothermal conversion, 467
Isothermal crystallization, 905, 961, 1913
Isothermal cures, 1493
Isothermal direct currents measurements, 1715
Isothermal sorption/desorption of gases, 937
Isotropic polymer, 1585
Izod impact strengths (IISs), 1443

Kelen–Tüdos method, 1539
Kenaf fibers, 1987
Kinetics, 1417, 1559

Lactide copolymers, 1281, 1289, 1299

Lactitol, 1759
Lactone copolymers, 1281, 1289, 1299
Latex coalescence, 1699
Latex film formation, 277
Latex films, 1699
Latex interpenetrating polymer networks (LIPNs), 191, 197, 203, 209
Layered polyesters, 359
Leaching, 2089
Levenberg Marquardt's algorithm, 29
Lewis acids, 235
Linear electrooptic (EO) coefficient measurement, 9
Lipids, 1009
Liquid crystal polymers, 1405
Liquid crystalline aromatic polyesters, 1907
Liquid crystalline polymers (LCPs), 243
Long-chain branching (LCB), 125
Low-pressure oxygen plasma, 119
Lubricated skin/core flow, 1305

Machine for testing samples (MTS), 251
Macromolecular dispersant, 399
Macromolecules, 1355
Macroreticular polymers, 991
Magnetic particle suspensions, 1405
Maleimide-terminated resins, 165
Mandrel size, 627
Mass diffusion coefficient, 1849
Matrix, 1043
Matrix Molecular Weight, 1467
Melamine–formaldehyde (MF), 2055
Melamine–urea–formaldehyde (MUF), 2055
Melt blending, 787, 1379
Melt polycondensation, 1907
Melt rheology, 125
Melt-spinning process, 489
Melting, 663, 961
Melting behavior, 1227
Membranes, 227, 1271, 1525, 1627, 1857
Metal cations, 647
Metal ions, 499
Metal oxides, 1597
Metal-containing polyimides, 1437
Metal–polymer adhesion, 897
Methacrylic acid concentration, 197
Microcapsules, 687
Microcrystalline celluloses, 483
Microcrystalline parameters, 1677
Microfibrillar-reinforced composite, 1667
Microphase separation, 1507
Microspheres, 825
Mill exit symmetry plane, 1389
Miscibility, 1379
Mixing, 155
Modified PAN membranes, 227
Molecular macrostructure, 861
Molecular orientation, 489
Molecular weight (MW), 1223
Molecular weight distribution (MWD), 1223
Molecular weights, 561
Molten polycondensation, 1
Monodisperse PS microspheres, 109
Monofunctional initiators, 1015
Monomers, 781, 1243, 1529, 1569
Morphology, 1563
Mössbauer spectroscopy, 1073, 1371
Multi-block copolymer, 1563
Multiangle laser light-scattering (MALLS) detection, 1479
Multiblock copolymers, 1059, 1067
Multilayer polyethylene slabs, 1145
Multiphase morphology, 203, 209
Multiple crazing mechanism, 1159
Multiple-beam Fizeau fringes, 1585

Nafion® 117 perfluorinated ion-exchange membranes, 1073
Natural rubber, 1741, 1803
Natural rubber, hydrogenation, 63
Natural stones, 1237
Natural vegetable fibers (NVF), 1329
Network formation, 1355
NMR spectroscopy, 589
Non-Fickian diffusion behavior, 937
Non-Fickian interfacial diffusion, 263
Nonaffine network model, 1099
Noninstantaneous elastic response, 453
Nonocclusive tapes, 1243
Notlingk–Neppiras equation, 803
Novel functional polymers, 1059, 1067
Novel iron-core printed circuit board, 1751
Nuclear magnetic resonance (^{1}H-NMR) spectroscopy, 91
Nuclear magnetic resonance (NMR) spectrometry, 1281
Nucleation, 1891
Nucleophilic aromatic substitution reaction, 905
Nylon 6, 1467
Nylon 6,6, 845

Oligoethylene bibenzoate, 1001
Oligomers, 831
One-step high-temperature polycondensation, 725
Optical microscopy, 1073
Organic monomers, 1741
Organic vapors, 937
Ostwald ripening, 1833
Oxidation, 915
Oxidative degradation mechanism, 295
Oxygen carrier, 1129
Oxygen permeability, 1145
Oxygen-containing organic monomers, 1033
Oxygen-rich polymers, 1569

Particle coagulation, 83
Particle morphology, 2009
PBT/PAr blends, 329
Permeability, 687
Permeation, 1271, 1627
Peroxide curing process, 781
Peroxide treatment, 1775
Personal floatation devices (PFDs), 775
λ-phage DNA molecules, 1389
Phase angle, 1897
Phase behavior, 243
Phase mixing, 1009

Phase relaxations, 521
Phase separation, 1995
Phase-inversion method, 1525
Phenols, 1879
Phosphate coating, 1087
Phosphorus-containing polystyrene, 1619
Phosphorylation, 1619
Photo-induced graft polymerization, 1683
Photocrosslinking, 45, 1529, 1607
Photodegradation, 1145
Photon correlation spectroscopy (PCS), 1979
Photopolymerization, 1937, 1945, 1951
Photoresists, 2029
Photosensitive polyimide, 1405
Photosensitized grafting, 1973
Phthalate ester, 2089
Physical aging, 1159
Plasma polymerization, 1033
Plasma polymers, 1569
Plasma-induced grafting, 1651
Plasticizers/dispersion agents, 1181
Poisson's ratio, 251, 505
Polar monomers, 1651
Polarized microscopy, 263
Poly(ether ether ketone ketone)–poly(ether sulfone) (PEEKK/PES) block copolymers, 905
Poly(lactic acid, 37
Polyacrylonitrile (PAN) fibers, 577
Polyacrylonitrile (PAN) hollow fibers, 1725
Polyamides, 1451
Polyaralkyl-phenolic resin, 975
Polyelectrolyte complex capsules, 687
Polyester yarns, 99
Polyimides, 923, 1249, 1315, 1437
Polymer Matrix, 2039
Polymer melts, 1305
Polymer track membranes (PTM), 719
Polymer-stabilized miniemulsions, 1833
Polymeric catalysts, 1255
Polymeric insulating materials, 1715
Polymeric porphyrin, 23
Polymer–metal complexes, 1371
Polymer–salt interactions, 655
Polyolefin surfaces, 1651
Polyols, 1759
Polyoxymethylene (POM) superdrawn fibers, 1137
Polyperoxide, 1887
Polypropylene-disposable medical syringes, 1769
Polypyrrolones, 1315
Polyurethane foams, 1167
Polyurethane polyols, 29
POM spherulites, 1733
Porogen thermodynamic quality, 991
Porosity, 991
Postmandrel cooling, 627
(PPO®)/epoxy laminate, 473
Precipitated silica, 1427
Precipitation, 1073
Precursors, 1725
Pregrafting, 1559
Prepolymers, 511
Pressure-sensitive adhesive, 1405
Printed circuit board technology, 2029
Proanthocyanidin (PA) polymers, 1979
Prosthetic–orthotic polymers, 91
Proteins, 459
Proton, 91
Pulta polarizing interference microscope, 1585
Pyridine aqueous solution, 227

Radiation crosslinking, 1355
Radical polymerization, 1529
Radical-chain polymerization, 1945
Radioisotopic Determination Methods, 639
Rate constants, 1559
Rate-dependent network model, 1099
γ-ray-induced degradation, 1769
Reactive dye dyeing, 1263
Reactive extrusion, 415, 1213
Reactive extrusion system, 1775
Reactive peroxide treatment, 1213
Real-time holographic interferometry, 1849
Rechargeable lithium batteries, 1173
Recycled PVC, 759
Recycling, 759, 803
Reinforcing filler, 1427
Relaxation process, 1659
Residence time distribution (RTD) studies, 415
Resin strength, 2055
Resins, 165, 537, 543, 975, 1049, 1067, 1957, 2055
Resins aerospace applications, 1249
Rheology, 243, 1405
Rigid polyurethane foam, 1759
Rigid-rod polyesters, 2079
Rosin-based rigid polyurethane foams, 1167
Rubber compounds, 639, 1427
Rubber vulcanizates, 803, 815, 1195
Rubber vulcanization, 365
Rubbers, 1321
RuO_4 staining technique, 1733

Salt ions, 599
Scanning electron microscopy (SEM), 483, 897, 1117, 1159, 1379, 1443, 1639, 1787
Schnitzer's uniform pore model, 1337
Scission, 589
Screen printable polyimide, 1405
Second harmonic generation (SHG), 9
Second-order nonlinear optics, 9
Segmented polyurethanes, 1009
Segmented polyurethanurea (SPU) blends, 1563
Semibatch operations, 749
Semicontinuous emulsion polymerization, 339
Shear frequency ω, 567
Shear stress, 797, 1099
Shearing, 1489
Short-chain branching (SCB), 125
Side chains, 2079
Side-chain functionalization, 235
Silica-induced polyflavonoid tannin autocondensation, 945
Silicas, 1321
Silk, 2049
Silk fibers, 51, 1677
Simmons's equation, 383
Simultaneous interpenetrating

polymer networks (SINs), 1417
Sinusoidal shear flows, 567
Size exclusion chromatography (SEC), 1281, 1289, 1479
Size-exclusion theories, 1337
Small-angle X-ray scattering (SAXS), 51
Solder paste, 1405
Solute exclusion, 1337
Solution copolymerization, 1539
Solvent systems, 1659
Solvents, 2029
Sorbents, 109, 647
Sorption, 1627
Sorption kinetics, 1857
Space-charge polarization, 655
Spontaneous boiling-up, 1659
Spun collagen fibers, 887
Stabilizer immobilization, 2009
Stabilizers, 1365
Statistical associating fluid theory (SAFT), 1107
Steady-state fluorescence technique, 1699
Sterilization, 1769
Stone preservation, 1237
Stress-dependent thermally activated rate process, 453
Stress–strain, 2049
Stress–strain behavior, 99
Substrate/solution interaction, 1525
Sulfur blooming, 639
Sulfur Dispersion, 639
Supercritical fluid (SCF) technology, 695, 707
Superplasticizers, 1181
Surface phenolation, 1137
Surface-modified precipitated silicas, 1741
Surfactant bilayers, 1741
Swelling, 51, 197, 209, 459, 673, 825
Synthetic rubber, 781

Talc surface treatment, 1087
Tannins, 945, 1181
Tapping mode atomic force microscopy (TMAFM), 1151
Technical polyesters, 1199
Temperature, 567
Temperature dependency, 1315
Temperature–frequency transformation, 269
Tensile experiments, 1159
Tensile modulus, 173, 1843
Tensile retraction measurement, 1321
Tensile testing, 1281
Tensile tests, 329
Ternary thermoplastics (matrix)/elastomer/rigid-particle filler composite, 287
Textured fluid, 845
Thermal analysis, 1551
Thermal decomposition, 1203
Thermal degradation, 1887
Thermal expansion, 473
Thermal gravimetric analysis (TGA), 215
Thermal mechanical analysis (TMA), 1
Thermal stability, 1167, 1507, 1639
Thermally stimulated discharging currents, 1715
Thermogravimetric analysis (TGA), 905, 1365, 1507, 1639, 1819
Thermogravimetry, 1203
Thermoplastic composites, 2069
Thermoplastic polymer, 1405
Thermoplastic polymers, 243
Thermoplastics, 1281, 1467
Thermoprocessable elastomers, 311
Thermotropic block copolyetheresters, 1027
Thermotropic liquid crystalline polyesters, 1
Thermotropic polymer, 797
Toner, 1405
Transesterification, 787, 1379
Transmission electron microscopy (TEM), 483, 1073, 1117, 1733
Triaxial stress, 251
Trichloroacetic acid–methylene chloride (TCAMC) solvent system, 99
Trommsdorff effect, 749

Ultrafiltration membranes, 1525
Ultrahigh molecular weight polyethylene (UHMW-PE), 931
Ultrahigh molecular weight polyethylene (UHMWPE), 1489
Ultrasonic devulcanization process, 803, 815
Uniform crosslinking structure, 1271
Urea, 1979
Ureylene linkages, 1551
UV–VIS spectroscopy, 1809

Vibrating sample magnetometry (VSM), 1073
Vinyl acids, 1539
Virgin pipe grade PVC, 759
Viscoelasticity, 543, 2049
Viscometry, 1803
Viscosimetry, 483
Viscosity, 29
Viscosity measurement, 1305
Viscosity ratio, 443
Vulcanizate swelling procedure, 1321
Vulcanization, 407

Water-vapor transmission rate (WVTR), 1243
Weathering, 775
Weathering effects, 1237
Wide-angle X-ray diffraction (WAXD), 905
Wide-angle X-ray scattering (WAXS), 1667, 1677
Williams–Landel–Ferry (WLF) equation, 29

X-ray photoelectron spectroscopy (XPS), 1059, 1569
Xylok, 975

Yarns, 99
Yield stress, 173
Young's modulus, 505, 627

Zein fiber, 433
Zinc pigments, 57
Zone-annealing (ZA), 1667
Zone-drawing (ZD), 1667